

RC-8iRP

8-Button Table Mount Insert Media & Room Controller with IR Learning













The RC-8iRP is an 8-button media/room controller for multimedia rooms. It controls audio components, video components and other room facilities, such as lights, screens and projectors. It was specifically designed to fit inside the TC-PTP01-B ("Power Tower Plus").



RC-8iRP

FEATURES

- 8 Back-Lit & Label Capable Buttons Up to 15 commands per macro and 4 toggling macros per button.
- Ethernet Port Allows for easy setup with Kramer's Windows®-based configuration software from an internet connection anywhere in the world.
 Note: Although under certain conditions the Ethernet port of the RC-8iRP may be used to control an AV product, it is not designed for this purpose and we do not recommend doing this.
- 2 IR Ports.
- IR Learning Function Learn commands from IR remotes.
- 2 Relay Contact Closure Ports Conveniently control other room items related to the AV system such as raising and lowering drapes, the screen or the projector.
- 2 Bidirectional RS-232 and 1 RS-485 Ports Control up to three additional devices via serial control protocols.
- Lock Out Feature The RC-8iRP can be locked and unlocked to prevent tampering.
- Dimensions 5.67cm x 3.09cm x 10.0cm (2.23" x 1.22" x 3.94") W, D, H.
- Wall Plate Size 1 gang US.

TECHNICAL SPECIFICATIONS

PORTS: 2 RS-232 on terminal block connectors; 1

RS-485 on terminal block connectors: 1

ETHERNET RJ-45 port.

OUTPUTS: 2 relays on terminal block connectors (36V

AC or DC, 2A, 60V AC maximum on non-inductive load); 2 IR emitters on terminal

block connectors.

POWER 12V DC, 155mA.

SOURCE:

DIMENSIONS: 5.67cm x 3.09cm x 10.0cm (2.23" x 1.22" x

3.94") W, D, H.

WEIGHT: 0.3kg (0.67lbs) approx.

ACCESSORIES: Power supply, Java based control software

(internal), Kramer's Windows®-based configuration software, single IR emitter

cable.

OPTIONS: Dual IR emitter cable, single IR emitter

cable, IR extension cable.