

Interactivity ... in the centre, just where you want it




Interactivity becomes the centre of attention with PolyVision's ēno flex series middle board. With traditional marker and/or chalk surfaces on either side, you get the benefits of supporting familiar teaching and learning styles while using technology as your primary tool to create engaging lessons for today's students.

Surfaces: C = Chalk / M = Marker

Features

- Custom configurations - choose the traditional marker and/or chalk surface(s) and specify right or left side
- One fabricator of your choice - means one purchase and one installation
- e³ environmental ceramicsteel™ writing surfaces are Cradle-to-CradleSM Silver certified
- Low total cost of ownership - combines the simplicity of a traditional ceramicsteel surface with interactive performance - all without cords or cables
- Forever Warranty™ - durable ceramicsteel surface lasts as long as your building



- * Integrated sliding rail at the top of the board lets you add a sliding writing board to maximize writing and bulletin surfaces
- * Full length pen-/chalk tray





Interactivity ... front and centre

PolyVision®


a steelcase company

technical specifications

ēno middle board 2620



ēno middle board 2820



Writing Surface

- e³ environmental ceramicsteel™ surface

Power requirements

- No power requirements for the whiteboard
- Stylus requires one AAA battery

Accessories (included)

- Bluetooth-enabled stylus
- Moveable magnetic icon strip
- Bluetooth receiver
- One AAA battery
- PolyVision driver
- 2 replacement stylus tips


Environmental Certifications

- MBDC Cradle to Cradle Silver
- RoHS

Warranty

- Forever Warranty on the e³ environmental ceramicsteel surface, ten-year warranty on the board, two-year warranty on the stylus and other components.

Different surfaces / combinations



Model	middle 2620 in mm	middle 2820 in mm
width	3600	4150
height	1270	1270
whiteboard I - chalk II	I - II	I - II
A. overall width	3625	4158
B. surface width	3580	4113
C. interactive surface height	1180	1180
C1. interactive surface width	1600	2133
D. pen- / chalktray width	3585	4118
E. overall height	1270	1270
F. surface height	1180	1180
G. frame depth	28	28
H. depth from wall to frame face	85	85
I. pen- / chalktray depth	68	68
J. board weight	56 kg	64 kg

eVision™ PolyVision is committed to move toward sustainability in all areas of environmental stewardship - to protect people, replenish natural resources, and restore the communities in which we work and live.

©2010 PolyVision Corporation. All rights reserved. Trademarks used herein are the property of PolyVision Corporation or of their respective owners. PolyVision Corporation reserves the right to make changes in product design, construction or detail, and to discontinue any product or material without notice.



PolyVision NV
Zuiderring 56
3600 Genk, Belgium
Tel. +32 89 32 31 30
Fax +32 89 32 31 31
info@polyvision.be
belgium.polyvision.com
www.polyvision.com

PolyVision®
a steelcase company