



Give a winning presentation with the powerful and lightweight PK320. With built-in speakers and up to an impressive 150" display you can project your presentations without the need for a laptop or in many cases without a screen. Weighing a mere 250g and smaller than the average paper back, the remote controllable PK320 is the perfect travel companion.

View Microsoft Office™, Adobe PDF files, photos and videos directly from the on-board 2GB memory or MicroSD card – without the need to convert them. Alternatively connect it to your laptop, netbook, iPhone®, iPad2®, Blackberry® Presenter or tablet PC conveniently using Mini HDMI, VGA and AV inputs for ultimate flexibility.

With a battery life of 1.5 hours or 5 hours with the optional high-capacity battery, the PK320 is the ideal projector for the business user on the move, helping you to give a great impression and winning you business wherever you are. When you've finished work for the day, the PK320 is the perfect way to relax; use it to share your favourite photos and video with colleagues or friends and family. It'll even connect to your games console so everyone can join in the fun.




PK320 - A Great presentation tool for business and pleasure...












Read files directly from the on-board 2GB memory or MicroSD Card up to 32GB*

Environmentally friendly LED technology -No more lamps...ever!

Easy connection to external sources - HDMI & VGA connectivity

Project on the move - stylish carry case included

Built-in speakers and headphone connection









PK320								
FILE FORMATS		CONNECTIONS		SPECIFICATIONS				
	Microsoft PowerPoint (ppt, pptx), Word (doc, docx), Excel (xls, xlsx), Adobe (pdf)	Micro SD	MicroSD Card Slot (up to 32GB)	2 3	120 x 70 x 30mm (W x D x H)			
	avi, mov, mp4, 3gp, cmb, ts, flv, wmv, asf		Mini HDMI - HDMI Input Universal I/O - VGA Input (cable supplied)		Up to 1.5 hours† (ECO mode) 250g			
	Jpeg, bmp		AV In - Composite and Audio Input L&R RCA (cable supplied)	2				
₩.	mp3, acc, asf, wma, flac, ra, ogg, wav	-2-	Micro USB - file transfer & charging (cable supplied)		** 80" (203cm)			
					(150" (381cm)			
	File specification, please see user manual, downloadable from the on board PK320 memory.		Devices require a suitable video output (HDMI/VGA/Composite) for use with the Optoma PK320.		1W 2000 GB, FR, ES, PT, DE, IT, RU, PL, DK, SE		2000:1	
				①			DK, SE, GR	

PK320 Remote Control Carry Case USB Cable VGA Cable Power Adapter (EU & UK) AV Cable





www.optomapico.eu

© 2011 Optoma Europe Ltd.

Optoma® is a registered trademark of Optoma Europe Ltd. DLP® and the DLP logo are registered trademarks of Texas Instruments. PowerPoint® is a registered trademark of Microsoft Corporation. iPad®, iPhone® are registered trademarks of Apple Inc. All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners. † Typical battery life achieved through testing. Will vary according to operational use and environment conditions. Specifications are subject to change without notice, errors and omissions excepted. Some images may be simulated.

